



How to use Blanc-Kit Excel

Calculate the volume of water to be treated by referring to the section entitled "MEASURING YOUR POND CAPACITY". When you have determined the pond capacity ensure the contents of the sachet are mixed well by shaking the sachet measure out the required amount of Blanc-Kit Excel using the 5ml spoon provided. Each level spoonful of Blanc-Kit Excel is sufficient to treat 70 gallons (318 litres) of pond water.

Before applying Blanc-Kit Excel it is advisable that excess blanketweed is removed manually & any UV light is switched off for a period of 5 days after each treatment. When you are ready to apply Blanc-Kit Excel sprinkle the required amount around the sides of the pond aiming to keep the granules in as close a proximity to the blanketweed as possible.

Repeat the Blanc-Kit Excel treatment once every 14 days for the first 6 weeks. Subsequent treatments must be administered once a month to maintain the blanket weed resistant environment.

IT IS IMPORTANT TO COMPLETE THE FULL COURSE OF TREATMENTS TO OBTAIN OPTIMUM RESULTS.

Remove as much dead and decaying vegetation from the pond bottom when it becomes apparent. It is essential to circulate the pond water by the use of a pond pump at all times ensuring adequate oxygenation, extra oxygenation should be introduced if required during periods of hot weather.

MEASURING YOUR POND CAPACITY

Measure the average depth of your pond by vertically inserting a dry stick (a broom handle is ideal) at the shallowest point, withdraw it and measure the water depth and make a note of it. Repeat the procedure at three other points in the pond. To find the average depth add together the four measurements and divide by four. Now measure the length and width of your pond and calculate the volume as follows:

Length x Width x Depth = Cubic Capacity

In Metres = Cubic Metre

In Feet = Cubic Feet

Now : Cubic Metres x 1000 = Litres

: Cubic Feet x 6.23 = Gallons



GUIDELINES FOR SAFE POND TREATMENT

1. Always be aware of your pond gallonage.
2. Always use pond treatments with care.
3. Never mix treatments.
4. During hot weather when oxygen levels may be low, ensure additional aeration is applied to your pond.
5. Generate oxygen by circulating the water with a pond pump during and after treatment.
6. Always remove dead and dying weed constantly during and after treatment.
7. Never overdose.
8. Wash hands after using treatments.
9. Keep treatments away from children & animals.
10. Blanc-Kit XL is an effective treatment and if used as directed is harmless to fish, animals and humans.
11. Always read full instructions before use.